

R E M A R K S

The present Preliminary Amendment is submitted to delete the multiple dependencies of claims 3-4 and 6-8, thereby placing such claims in condition for examination and reducing the required PTO filing fee.

Copies of the amended portion of the claims with changes marked therein is attached and entitled "Version with Markings to Show Changes Made."

Respectfully submitted,

Kiyoshi NAKADE

By Michael S. Huppert
Michael S. Huppert
Registration No. 40,268
Attorney for Applicant

MSH/kjf
Washington, D.C. 20006-1021
Telephone (202) 721-8200
Facsimile (202) 721-8250
January 31, 2002

What is claimed is:

2/2/01

1. A slasher comprising:

a moistening unit for moistening warp yarns by sprinkling water on the warp;

a squeezing unit for squeezing the moistened warp yarns;

and

a sizing unit for sizing the moistened and squeezed the warp yarns.

2. The slasher according to claim 1, wherein the moistening unit adjusts water sprinkling rate at which water is sprinkled on the warp yarns according to operating conditions.

3. The slasher according to claim 1 or 2, wherein the moistening unit sprinkles water on the warp yarns by spraying water through one or plural nozzles.

4. The slasher according to claim 2 or 3, wherein the moistening unit includes a plurality of nozzle groups each having a plurality of nozzles arranged along width of the warp yarns, and the nozzle groups are controlled individually.

5. The slasher according to claim 4, wherein the nozzles of each of the nozzle groups of the moistening unit are arranged at intervals different from those at which the nozzles of the other nozzle group are arranged, and water is supplied at different pressures to the nozzle groups, respectively.

6. (Amended) The slasher according to ~~any one of claims 3 to 5,~~

5R

6,7,8

SA, SB, SD,

100-000-000-000-000

wherein the one or plural nozzles are movable toward and away from the warp yarns.

7. ^(Amended) The slasher according to ~~any one of claims~~ 3 to 6, wherein the moistening unit includes a movable moistening adjusting member disposed between the nozzles and the warp yarns.

8. ^(Amended) The slasher according to ~~any one of claims~~ 1 to 7, wherein the moistening unit sprinkles hot water on the warp of the warp yarns.

10059235.043102